




Folder: \\10.100.1.245\RioASE\Projects\Walla_Walla_HUC53\Coppei_Cr_WWCCD\GIS\APRX\HydraulicResults\




Folder: \\10.100.1.245\RioASE\Projects\Walla_Walla_HUC53\Coppei_Cr_WWCCD\GIS\APRX\HydraulicResults\





Folder: \\10.100.1.245\RioASE\Projects\Walla_Walla_HUC53\Coppei_Cr_WWCCD\GIS\APRX\HydraulicResults\



Folder: \\10.100.1.245\RioASE\Projects\Walla_Walla_HUC53\Coppei_Cr_WWCCD\GIS\APRX\HydraulicResults\





Source: NAIP Imagery (ESRI, USDA FSA), 2D Hydraulic Model Results (Rio ASE, 2022)



Notes:
 1 - The terrain surface used in the hydraulic model was developed by Rio ASE using 2018 LiDAR supplemented with bathymetric survey data collected by Rio ASE in April 2021.
 2 - Hydraulic modeling was performed using HEC-RAS version 6.3.1 (USACE) with two-dimensional unsteady flow calculations.








FIGURE 6
Existing and Proposed Conditions
Depth at 701 cfs (5-year Flow)
 Coppei Creek Project Area 07 30% Design
 for Walla Walla County Conservation District







Folder: \\10.100.1.245\RioASE\Projects\Walla_Walla_HUC53\Coppei_Cr_WWCCD\GIS\APRX\HydraulicResults\











Folder: \\10.100.1.245[RioASE\Projects\Walla_Walla_HUC53\Coppei_Cr_WWCCD\GIS\APRX\HydraulicResults]



Folder: \\10.100.1.245\\RioASE\\Projects\\Walla_Walla_HUC53\\Coppei_Cr_WWCCD\\GIS\\APRX\\HydraulicResults\\



Folder: \\10.100.1.245\RioASE\Projects\Walla_Walla_HUC53\Coppei_Cr_WWCCD\GIS\APRX\HydraulicResults\








FIGURE 15
Existing and Proposed Conditions
Velocity at 1002 cfs (10-Year Recurrence)
 Coppei Creek Project Area 07 30% Design
 for Walla Walla County Conservation District


Folder: \\10.100.1.245\RioASE\Projects\Walla_Walla_HUC53\Coppei_Cr_WWCCD\GIS\APRX\HydraulicResults\



Folder: \\10.100.1.245[RioASE\Projects\Walla_Walla_HUC53\Coppei_Cr_WWCCD\GIS\APRX\HydraulicResults\



Folder: \\10.100.1.245\RioASE\Projects\Walla_Walla_HUC53\Coppei_Cr_WWCCD\GIS\APRX\HydraulicResults\



VICINITY MAP

Shear Stress (lbs/sq ft)



Source: NAIP Imagery (ESRI, USDA FSA), 2D Hydraulic Model Results (Rio ASE, 2022)



Notes:
 1 - The terrain surface used in the hydraulic model was developed by Rio ASE using 2018 LiDAR supplemented with bathymetric survey data collected by Rio ASE in April 2021.
 2 - Hydraulic modeling was performed using HEC-RAS version 6.3.1 (USACE) with two-dimensional unsteady flow calculations.






FIGURE 18
Existing and Proposed Conditions
Shear at 8.7 cfs (50% Exceedance)
 Coppei Creek Project Area 07 30% Design
 for Walla Walla County Conservation District




Folder: \\10.100.1.245\RioASE\Projects\Walla_Walla_HUC53\Coppei_Cr_WWCCD\GIS\APRX\HydraulicResults\

Folder: \\10.100.1.245\RioASE\Projects\Walla_Walla_HUC53\Coppei_Cr_WWCCD\GIS\APRX\HydraulicResults\
Folder: \\10.100.1.245\RioASE\Projects\Walla_Walla_HUC53\Coppei_Cr_WWCCD\GIS\APRX\HydraulicResults\



VICINITY MAP

Shear Stress (lbs/sq ft)



Source: NAIP Imagery (ESRI, USDA FSA), 2D Hydraulic Model Results (Rio ASE, 2022)



Notes:
1 - The terrain surface used in the hydraulic model was developed by Rio ASE using 2018 LiDAR supplemented with bathymetric survey data collected by Rio ASE in April 2021.
2 - Hydraulic modeling was performed using HEC-RAS version 6.3.1 (USACE) with two-dimensional unsteady flow calculations.




FIGURE 20
Existing and Proposed Conditions
Shear at 259 cfs (1.5-Year Recurrence)
Coppei Creek Project Area 07 30% Design
for Walla Walla County Conservation District







FIGURE 21
Existing and Proposed Conditions
Shear at 361 cfs (2-Year Recurrence)
 Coppei Creek Project Area 07 30% Design
 for Walla Walla County Conservation District

Folder: \\10.100.1.245\RioASE\Projects\Walla_Walla_HUC53\Coppei_Cr_WWCCD\GIS\APR\HydraulicResults\










FIGURE 23
Existing and Proposed Conditions
Shear at 1002 cfs (10-Year Recurrence)
 Coppei Creek Project Area 07 30% Design
 for Walla Walla County Conservation District

Folder: \\10.100.1.245\RioASE\Projects\Walla_Walla_HUC53\Coppel_Cr_WWCCD\GIS\APRX\HydraulicResults\



Shear Stress (lbs/sq ft)



Source: NAIP Imagery (ESRI, USDA FSA), 2D Hydraulic Model Results (Rio ASE, 2022)



Notes:

1 - The terrain surface used in the hydraulic model was developed by Rio ASE using 2018 LiDAR supplemented with bathymetric survey data collected by Rio ASE in April 2021.

2 - Hydraulic modeling was performed using HEC-RAS version 6.3.1 (USACE) with two-dimensional unsteady flow calculations.




FIGURE 24
Existing and Proposed Conditions
Shear at 2403 cfs (100-Year Recurrence)
Coppei Creek Project Area 07 30% Design
for Walla Walla County Conservation District